

UNIVERSITY OF CALIFORNIA, SANTA BARBARA

BERKELEY • DAVIS • IRVINE • LOS ANGELES • MERCED • RIVERSIDE • SAN DIEGO • SAN FRANCISCO



SANTA BARBARA • SANTA CRUZ

OFFICE OF DESIGN & CONSTRUCTION SERVICES and PHYSICAL FACILITIES

CONTRACTING SERVICES
Building 439
Santa Barbara, California 93106-1030
Telephone (805) 893-3356
Fax (805) 893-8592

SENT VIA: FAX ON THIS DATE
 HAND DELIVERY ON THIS DATE
 FEDERAL EXPRESS ON THIS DATE
 UNITED PARCEL SERVICE ON THIS DATE

HOLDERS OF PLANS AND SPECIFICATIONS:

Biological Sciences Buildings Renovation, Bio. Sciences
Unit 2 Bldg.
Project No. FM060346LR/988620
Addendum No. One

October 8, 2008

Enclosed is **ADDENDUM NO. One** to the Construction Documents on the above-captioned project.

Bid date has been changed from Tuesday, October 14, 2008 at 2:30 PM to **Tuesday, October 21, 2008**
at 2:30 PM to be held at:

CONTRACTING SERVICES
Facilities Management, Bldg. 439,
Door #E, Reception Counter
University of California, Santa Barbara
Santa Barbara, CA 93106-1030.

Late arrivals shall be disqualified. Please allow time for unforeseen traffic delays, securing a parking permit and potential parking problems.

Anna Galanis
Director, Contracting Services

UNIVERSITY OF CALIFORNIA, SANTA BARBARA

ADDENDUM NUMBER ONE

to the

Construction Documents

October 8, 2008

GENERAL

The following changes, additions or deletions shall be made to the following document(s) as Indicated; all other conditions shall remain the same.

I. ADVERTISEMENT

Item No.

1. Second page, first paragraph, **Change** to read in it's entirety as follows:

“Bid Deadline: Sealed bids must be received on or before 2:30 PM on Tuesday, October 21, 2008. Sealed Bids will be received only at: Contracting Services, Facilities Management, Building #439, Door E, Reception Counter, University of California, Santa Barbara, Santa Barbara, California, 93106-1030.”

II SUPPLEMENTARY INSTRUCTIONS TO BIDDERS

Item No.

1. Number 4, **Change** to read in it's entirety as follows:

“ Bids will be received on or before the Bid Deadline: 2:30 PM, Tuesday, October 21, 2008, and only at: Contracting Services, Facilities Management, Building #439, Door E, Reception Counter, University of California, Santa Barbara, Santa Barbara, California, 93106-1030.”

UNIVERSITY OF CALIFORNIA, SANTA BARBARA

III SPECIFICATIONS

Item No.

1. Section 01015, "Work Sequence", Part 1, "General", 1.04, "Hazardous Materials Removal"
Replace "(Add something here)" in it's entirety with the following:

"All asbestos abatement will be accomplished by the University and under separate contract. If encountered during the process of construction, immediately stop work in the area and notify the University Representative."

IV DRAWINGS

Item No.

1. Sheet P200, "Basement Plan", Sheet Keynotes" **Add** "Note 6" as follows:

"Regarding the existing sprinkler system located in the basement, the following Work Activities are required:

- a. Add additional hangers and bracing per current SMACNA Seismic piping standards, and NFPA as applicable.
- b. Allow for 5% of the existing heads to be adjusted for improved coverage below ductwork.
- c. Drain and flush system thoroughly.
- d. Include hydraulic calculations for the existing basement system.
- e. Replace all existing sprinkler heads with new."

END OF ADDENDUM NO. ONE